



ACP

Asiatic Chemicals Pakistan

Building the Partnership, it's Asiatic Business Principle!

Address : Room No 30, 2nd Floor, Mussa Market Opp
Sindh Madresha, Shahrah-e-Liaquat Karachi,
Pakistan.

Phone : 92-21-2422537, (Hunting line) 2420313

Fax : 92-21-2415544 , 0092-300-2022068

Mobile : 92-300-2000881, 92-321-2000881

2 Composition/information on ingredients

- **Chemical characterization:**
- **CAS No. Description**
123-86-4 n-butyl acetate
- **Identification number(s)**
- **EINECS Number:** 204-658-1
- **EU Number:** 607-025-00-1

3 Hazards identification

- **Hazard description:** Not applicable.
- **Information concerning particular hazards for human and environment:**
At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.
R 10 Flammable.
R 66 Repeated exposure may cause skin dryness or cracking.
R 67 Vapours may cause drowsiness and dizziness.

4 First aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

5 Fire-fighting measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 2)

UAE

Material Safety Data Sheet

According to 91/155 EEC

Trade name: n-butyl acetate

(Contd. of page 1)

- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

- **Handling:**
- **Information for safe handling:** No special requirement
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

123-86-4 n-butyl acetate

PEL (USA)	710 mg/m ³ , 150 ppm
REL (USA)	Short-term value: 950 mg/m ³ , 200 ppm Long-term value: 710 mg/m ³ , 150 ppm
TLV (USA)	Short-term value: 950 mg/m ³ , 200 ppm Long-term value: 713 mg/m ³ , 150 ppm
WEL (Great Britain)	Short-term value: 966 mg/m ³ , 200 ppm Long-term value: 724 mg/m ³ , 150 ppm

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

UAE

(Contd. on page 3)

Material Safety Data Sheet

According to 91/155 EEC

Trade name: *n*-butyl acetate

(Contd. of page 2)

9 Physical and chemical properties

· **General Information**

Form: Fluid
Colour: Colourless
Odour: Fruit-like

· **Change in condition**

Melting point/Melting range: -76°C
Boiling point/Boiling range: 124-128°C

· **Flash point:** 27°C

· **Ignition temperature:** 370°C

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

Lower: 1.2 Vol %
Upper: 7.5 Vol %

· **Vapour pressure at 20°C:** 10.7 hPa

· **Density at 20°C:** 0.88 g/cm³

· **Solubility in / Miscibility with water at 20°C:** 5 g/l

· **pH-value (5 g/l) at 20°C:** 5

· **Viscosity:**

Dynamic at 20°C: 0.7 mPas

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

Oral	LD50	13100 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
Inhalative	LC50/4 h	>21.0 mg/l (rat)

· **Primary irritant effect:**

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

12 Ecological information

· **General notes:**

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

(Contd. on page 4)

Material Safety Data Sheet

According to 91/155 EEC

Trade name: *n-butyl acetate*

(Contd. of page 3)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*

14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 30
- **UN-Number:** 1123
- **Packaging group:** III
- **Hazard label:** 3
- **Description of goods:** 1123 BUTYL ACETATES

- **Maritime transport IMDG:**



- **IMDG Class:** 3
- **UN Number:** 1123
- **Label:** 3
- **Packaging group:** III
- **EMS Number:** F-E,S-D
- **Proper shipping name:** BUTYL ACETATES

- **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1123
- **Label:** 3
- **Packaging group:** III
- **Proper shipping name:** BUTYL ACETATES

UAE

(Contd. on page 5)

Material Safety Data Sheet
According to 91/155 EEC

Trade name: n-butyl acetate

(Contd. of page 4)

15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Risk phrases:**

10 Flammable.

66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

2 Keep out of the reach of children.

25 Avoid contact with eyes.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Product safety department.

· **Contact:** Terminal Manager

UAE